



SBE 37 SM with Plastic Housing, No Pressure Sensor, MCBH Connector, RS-232, No Oxygen Sensor, Includes Accessories

Product #: 37SM.10200S
USD Price: Contact Sea-Bird

Moored Conductivity, Temperature, and (optional) Pressure measurements, at user-programmable intervals. RS-232 or RS-485 interface, internal memory, and internal battery pack.

The SBE 37-SM MicroCAT is a high-accuracy conductivity and temperature (pressure optional) recorder with Serial interface (RS-232 or RS-485), internal batteries, and Memory. The MicroCAT is designed for moorings or other long-duration, fixed-site deployments.

Data is recorded in memory and can be output in real-time. Measured data and derived variables (salinity, sound velocity) are output in engineering units.

Memory capacity exceeds 530,000 samples. Sampling every 2 minutes, the MicroCAT can be deployed for 2 years (battery endurance exceeds memory capacity).

Optimal Moored CTD

Moored Conductivity, Temperature, and Pressure (optional), at user-programmable 6-sec to 6-hour intervals.

Flexible Deployment Options

Internal memory and battery pack (can be powered externally).

Specifications

Communication: RS-232

Conductivity Accuracy: $\pm 0.0003 \text{ S/m } (0.003 \text{ mS/cm})$

Conductivity Measurement Range: 0 - 7 S/m (0 - 70 mS/cm)

Conductivity resolution: 0.00001 S/m (0.0001 mS/cm)

Conductivity Typical Stability: 0.0003 S/m (0.003 mS/cm) per month

Connector: MCBH

Dissolved Oxygen Accuracy: N/A
Dissolved Oxygen Range: N/A
Dissolved Oxygen Resolution: N/A
Dissolved Oxygen Typical Stability: N/A
Housing Material: Plastic

Internal Batteries: 10.6 Amp-hour (nominal) battery pack (derated for calculations)

Power input: 0.5 Amps at 9 - 24 VDC

Pressure Initial Accuracy: N/A

Pressure Resolution: N/A

Pressure Sensor/Range: No Pressure Sensor

PressureTypical Stability: N/A
Pumps: No

Sensors: No Oxygen Sensor

Temperature Accuracy: ± 0.002 °C (-5 to +35 °C); ± 0.01 (+35 to +45 °C)

Temperature Range: -5 to +45 °C
Temperature Resolution: 0.0001 °C

Temperature Stability: 0.0002 °C per month

Weight: 2.7 kg in air, 1.2 kg in water