



## Sea-Bird Scientific Submersible Underwater Nutrient Analyzer (SUNA), Seawater, 1692 cm<sup>3</sup>, RS-232, USB, Biofouling Guard

Product #:

USD Price:

SUNA.02002S Contact Sea-Bird

## Industry-leading sensor for nitrate measurement

The SUNA V2 UV nitrate sensor is the ultimate solution for real-time nutrient monitoring. This sensor measures nitrate over a wide range of environmental conditions, from blue-ocean nitraclines to storm runoff in rivers and streams.

Full UV spectrum range for maximum accuracy

**Real-time nitrate calculation** 

**SUNA V2 (2k) option for floats, gliders, and other AUVs** Depth rating of 2000 m for deep ocean applications

**SUNA V2 (2k) option for floats, gliders, and other AUVs** Depth rating of 2000 m for deep ocean applications

## **Specifications**

| Accuracy:                          | 2 µM                 |
|------------------------------------|----------------------|
| Anti-fouling:                      | Biofouling guard     |
| Calibration type:                  | Seawater             |
| Current Draw:                      | 625 mA @ 12 V        |
| Data Storage:                      | N/A                  |
| Depth Rating:                      | 1640.42 ft (500 m)   |
| Displacement:                      | 1692 cm <sup>3</sup> |
| Input Voltage:                     | 8 – 18 VDC           |
| Kit Option:                        | Yes                  |
| Lamp Lifetime:                     | 900 hr               |
| Lamp Type:                         | Deuterium            |
| Path Length:                       | 0.39 in (10 mm)      |
| Precision:                         | 0.3 µM               |
| Storage and Communication Options: | USB                  |
| Telemetry Selections:              | RS-232               |
| Wavelength Range:                  | 190–370 nm           |
| Weight in air, water:              | 8.6 lbs (3.9 kg)     |
|                                    |                      |